

## HealthyADK Indicator List by Data Source

Source	Indicator	# of Indicators
<b>American Community Survey</b>		<b>36</b>
	Adults 65+ with a Hearing Difficulty	
	Adults 65+ with a Self-Care Difficulty	
	Adults 65+ with a Vision Difficulty	
	Adults 65+ with an Independent Living Difficulty	
	Adults with Health Insurance	
	Adults with Health Insurance: 18-64	
	Children Living Below Poverty Level	
	Children with Health Insurance	
	Children with Health Insurance: 0-17	
	Families Living Below Poverty Level	
	Homeowner Vacancy Rate	
	Households with an Internet Subscription	
	Households with Cash Public Assistance Income	
	Households Receiving SNAP with Children	
	Households with One or More Types of Computing Devices	
	Households without a Vehicle	
	Houses Built Prior to 1950	
	Median Household Income	
	People 25+ with a bachelor's degree or Higher	
	People 25+ with a High School Degree or Higher	
	People 65+ Living Alone	
	People 65+ Living Below Poverty Level	
	People Living 200% Above Poverty Level	
	People Living Below Poverty Level	
	Persons with a Cognitive Difficulty	
	Persons with a Hearing Difficulty	
	Persons with a Self-Care Difficulty	
	Persons with a Vision Difficulty	
	Persons with an Ambulatory Difficulty	
	Persons with Disability Living in Poverty (5-year)	
	Persons with Private Health Insurance Only	
	Persons with Public Health Insurance Only	
	Renters Spending 30% or More of Household Income on Rent	
	Single-Parent Households	
	Workers Commuting by Public Transportation	
	Workers who Drive Alone to Work	
<b>American Community Survey Supplemental Estimates</b>		<b>3</b>
	Adults 65+ with a Disability	
	Children with a Disability	
	Persons with a Disability	
<b>American Lung Association</b>		<b>2</b>
	Annual Ozone Air Quality	

Annual Particle Pollution	
<b>Centers for Disease Control and Prevention</b>	<b>9</b>
Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke)	
Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases	
Age-Adjusted Death Rate due to Coronary Heart Disease	
Age-Adjusted Death Rate due to Diabetes	
Age-Adjusted Death Rate due to Influenza and Pneumonia	
Age-Adjusted Death Rate due to Kidney Disease	
Age-Adjusted Death Rate due to Motor Vehicle Traffic Collisions	
Age-Adjusted Death Rate due to Suicide	
Age-Adjusted Death Rate due to Unintentional Injuries	
<b>Centers for Medicare &amp; Medicaid Services</b>	<b>15</b>
Alzheimer's Disease or Dementia: Medicare Population	
Asthma: Medicare Population	
Atrial Fibrillation: Medicare Population	
Cancer: Medicare Population	
Chronic Kidney Disease: Medicare Population	
COPD: Medicare Population	
Depression: Medicare Population	
Diabetes: Medicare Population	
Heart Failure: Medicare Population	
Hyperlipidemia: Medicare Population	
Hypertension: Medicare Population	
Ischemic Heart Disease: Medicare Population	
Osteoporosis: Medicare Population	
Rheumatoid Arthritis or Osteoarthritis: Medicare Population	
Stroke: Medicare Population	
<b>Council on Children and Families, Kids' Wellbeing Indicators Clearinghouse</b>	<b>2</b>
Teen Pregnancy Rate	
Young Adults Driving While Intoxicated	
<b>County Health Rankings</b>	<b>21</b>
Access to Exercise Opportunities	
Alcohol-Impaired Driving Deaths	
Clinical Care Ranking	
Death Rate due to Drug Poisoning	
Dentist Rate	
Food Environment Index	
Frequent Mental Distress	
Frequent Physical Distress	
Health Behaviors Ranking	
High School Graduation	
Insufficient Sleep	
Medicare Healthcare Costs	
Mental Health Provider Rate	
Morbidity Ranking	
Mortality Ranking	

	Non-Physician Primary Care Provider Rate	
	Physical Environment Ranking	
	Primary Care Provider Rate	
	Severe Housing Problems	
	Social and Economic Factors Ranking	
	Solo Drivers with a Long Commute	
	<b>Feeding America</b>	<b>3</b>
	Child Food Insecurity Rate	
	Food Insecure Children Likely Ineligible for Assistance	
	Food Insecurity Rate	
	<b>National Cancer Institute</b>	<b>10</b>
	Age-Adjusted Death Rate due to Breast Cancer	
	Age-Adjusted Death Rate due to Colorectal Cancer	
	Age-Adjusted Death Rate due to Lung Cancer	
	Age-Adjusted Death Rate due to Prostate Cancer	
	Breast Cancer Incidence Rate	
	Cervical Cancer Incidence Rate	
	Colorectal Cancer Incidence Rate	
	Lung and Bronchus Cancer Incidence Rate	
	Oral Cavity and Pharynx Cancer Incidence Rate	
	Prostate Cancer Incidence Rate	
	<b>National Center for Education Statistics</b>	<b>2</b>
	Students Eligible for the Free Lunch Program	
	Student-to-Teacher Ratio	
	<b>National Environmental Public Health Tracking Network</b>	<b>9</b>
	Age-Adjusted Death Rate due to Heart Attack	
	Age-Adjusted Hospitalization Rate due to Heart Attack	
	Blood Lead Levels in Children (>5 micrograms per deciliter)	
	Daily Dose of UV Irradiance	
	Months of Mild Drought or Worse	
	Number of Extreme Heat Days	
	Number of Extreme Heat Events	
	Number of Extreme Precipitation Days	
	Weeks of Moderate Drought or Worse	
	<b>NY Expanded Behavioral Risk Factor Surveillance System</b>	<b>24</b>
	Adult Fruit and Vegetable Consumption	
	Adults 65+ with Influenza Vaccination	
	Adults 65+ with Pneumonia Vaccination	
	Adults who have had a Routine Checkup	
	Adults with No Tooth Extractions	
	Age-Adjusted Rate of Adults Unable to Afford to See a Doctor	
	Age-Adjusted Rate of Adults who are Obese	
	Age-Adjusted Rate of Adults who are Overweight or Obese	
	Age-Adjusted Rate of Adults who are Sedentary	
	Age-Adjusted Rate of Adults who Binge Drink	
	Age-Adjusted Rate of Adults who Smoke	

Age-Adjusted Rate of Adults who Visited a Dentist	
Age-Adjusted Rate of Adults with a Usual Source of Health Care	
Age-Adjusted Rate of Adults with Asthma	
Age-Adjusted Rate of Adults with Diabetes	
Age-Adjusted Rate of Adults with Disability	
Age-Adjusted Rate of High Blood Pressure Prevalence	
Age-Adjusted Rate of High Cholesterol Prevalence	
Age-Adjusted Rate of Poor Mental Health: 14+ Days	
Age-Adjusted Rate of Poor Physical Health: 14+ Days	
Age-Adjusted Self-Reported General Health Assessment: Poor	
Colon Cancer Screening	
Mammogram in Past 2 Years: 50-74	
Pap Test in Past 3 Years: 21-65	
<b><i>NY Statewide Planning and Research Cooperative System (SPARCS)</i></b>	<b>43</b>
Age-Adjusted ER Rate due to Adolescent Suicide and Intentional Self-inflicted Injury	
Age-Adjusted ER Rate due to Adult Asthma	
Age-Adjusted ER Rate due to Alcohol Abuse	
Age-Adjusted ER Rate due to Asthma	
Age-Adjusted ER Rate due to Community Acquired Pneumonia	
Age-Adjusted ER Rate due to COPD	
Age-Adjusted ER Rate due to Dehydration	
Age-Adjusted ER Rate due to Dental Problems	
Age-Adjusted ER Rate due to Diabetes	
Age-Adjusted ER Rate due to Heart Failure	
Age-Adjusted ER Rate due to Hepatitis	
Age-Adjusted ER Rate due to Hypertension	
Age-Adjusted ER Rate due to Immunization-Preventable Pneumonia and Influenza	
Age-Adjusted ER Rate due to Long-Term Complications of Diabetes	
Age-Adjusted ER Rate due to Mental Health	
Age-Adjusted ER Rate due to Pediatric Asthma	
Age-Adjusted ER Rate due to Pediatric Mental Health	
Age-Adjusted ER Rate due to Short-Term Complications of Diabetes	
Age-Adjusted ER Rate due to Substance Use	
Age-Adjusted ER Rate due to Suicide and Intentional Self-inflicted Injury	
Age-Adjusted ER Rate due to Uncontrolled Diabetes	
Age-Adjusted ER Rate due to Urinary Tract Infections	
Age-Adjusted Hospitalization Rate due to Adolescent Suicide and Intentional Self-inflicted Injury	
Age-Adjusted Hospitalization Rate due to Adult Asthma	
Age-Adjusted Hospitalization Rate due to Alcohol Abuse	
Age-Adjusted Hospitalization Rate due to Asthma	
Age-Adjusted Hospitalization Rate due to Community Acquired Pneumonia	
Age-Adjusted Hospitalization Rate due to COPD	
Age-Adjusted Hospitalization Rate due to Dehydration	

Age-Adjusted Hospitalization Rate due to Diabetes	
Age-Adjusted Hospitalization Rate due to Heart Failure	
Age-Adjusted Hospitalization Rate due to Hepatitis	
Age-Adjusted Hospitalization Rate due to Hypertension	
Age-Adjusted Hospitalization Rate due to Immunization-Preventable Pneumonia and Influenza	
Age-Adjusted Hospitalization Rate due to Long-Term Complications of Diabetes	
Age-Adjusted Hospitalization Rate due to Mental Health	
Age-Adjusted Hospitalization Rate due to Pediatric Asthma	
Age-Adjusted Hospitalization Rate due to Pediatric Mental Health	
Age-Adjusted Hospitalization Rate due to Short-Term Complications of Diabetes	
Age-Adjusted Hospitalization Rate due to Substance Use	
Age-Adjusted Hospitalization Rate due to Suicide and Intentional Self-inflicted Injury	
Age-Adjusted Hospitalization Rate due to Uncontrolled Diabetes	
Age-Adjusted Hospitalization Rate due to Urinary Tract Infections	
<b><i>NYS Department of Health</i></b>	<b>16</b>
Age-Adjusted Death Rate due to Opioid Pain Relievers	
Age-Adjusted Emergency Department Visit Rate due to Heroin Overdose	
Age-Adjusted Emergency Department Visit Rate due to Opioid Overdose	
Age-Adjusted Hospital Discharge Rate due to Opioid Overdose	
Babies with Low Birth Weight	
Chlamydia Incidence Rate	
Elementary School Students who are Overweight or Obese	
Gonorrhea Incidence Rate	
HIV Diagnosis Rate	
Infant Mortality Rate	
Lyme Disease Incidence Rate	
Middle and High School Students who are Overweight or Obese	
Mothers who Received Late or No Prenatal Care	
Preterm Births	
Teen Birth Rate: 15-17	
Teen Birth Rate: 15-19	
<b><i>NYS Division of Criminal Justice Services</i></b>	<b>1</b>
Violent Crime Rate	
<b><i>The Dartmouth Atlas of Health Care</i></b>	<b>2</b>
Diabetic Monitoring: Medicare Population	
Preventable Hospital Stays: Medicare Population	
<b><i>United for ALICE</i></b>	<b>3</b>
Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold	
Households that are Asset Limited, Income Constrained, Employed (ALICE)	
Households that are Below the Federal Poverty Level	
<b><i>U.S. Bureau of Labor Statistics</i></b>	<b>1</b>
Unemployed Workers in Civilian Labor Force	
<b><i>U.S. Census - County Business Patterns</i></b>	<b>1</b>

	Liquor Store Density	
<b><i>U.S. Department of Agriculture - Food Environment Atlas</i></b>		<b>11</b>
	Children with Low Access to a Grocery Store	
	Children with Low Access to a Grocery Store (% of Total Pop)	
	Farmers Market Density	
	Fast Food Restaurant Density	
	Grocery Store Density	
	Households with No Car and Low Access to a Grocery Store	
	Low-Income and Low Access to a Grocery Store	
	People 65+ with Low Access to a Grocery Store	
	People 65+ with Low Access to a Grocery Store (% of Total Pop)	
	People with Low Access to a Grocery Store	
	Recreation and Fitness Facilities	
<b><i>U.S. Environmental Protection Agency</i></b>		<b>2</b>
	PBT Released	
	Recognized Carcinogens Released into Air	
<b><i>U.S. Small-Area Life Expectancy Estimates Project (USALEEP)</i></b>		<b>1</b>
	Life Expectancy	